

TABEL A.1
Kuadrat dan Akar Kuadrat

n	n ²	√n	√10n	n	n ²	√n	√10n
1.0	1.00	1.000	3.162	5.5	30.25	2.345	7.416
1.1	1.21	1.049	3.317	5.6	31.36	2.366	7.483
1.2	1.44	1.095	3.464	5.7	32.49	2.387	7.550
1.3	1.69	1.140	3.606	5.8	33.64	2.408	7.616
1.4	1.96	1.183	3.742	5.9	34.81	2.429	7.681
1.5	2.25	1.225	3.873	6.0	36.00	2.449	7.746
1.6	2.56	1.265	4.000	6.1	37.21	2.470	7.810
1.7	2.89	1.304	4.123	6.2	38.44	2.490	7.874
1.8	3.24	1.342	4.243	6.3	39.69	2.510	7.937
1.9	3.61	1.378	4.359	6.4	40.96	2.530	8.000
2.0	4.00	1.414	4.472	6.5	42.25	2.550	8.062
2.1	4.41	1.449	4.583	6.6	43.56	2.569	8.124
2.2	4.84	1.483	4.690	6.7	44.89	2.588	8.185
2.3	5.29	1.517	4.796	6.8	46.24	2.608	8.246
2.4	5.76	1.549	4.899	6.9	47.61	2.627	8.307
2.5	6.25	1.581	5.000	7.0	49.00	2.646	8.367
2.6	6.76	1.612	5.099	7.1	50.41	2.665	8.426
2.7	7.29	1.643	5.196	7.2	51.84	2.683	8.485
2.8	7.84	1.673	5.292	7.3	53.29	2.702	8.544
2.9	8.41	1.703	5.385	7.4	54.76	2.720	8.602
3.0	9.00	1.732	5.477	7.5	56.25	2.739	8.660
3.1	9.61	1.761	5.568	7.6	57.76	2.757	8.718
3.2	10.24	1.789	5.657	7.7	59.29	2.775	8.775
3.3	10.89	1.817	5.745	7.8	60.84	2.793	8.832
3.4	11.56	1.844	5.831	7.9	62.41	2.811	8.888
3.5	12.25	1.871	5.916	8.0	64.00	2.828	8.944
3.6	12.96	1.897	6.000	8.1	65.61	2.846	9.000
3.7	13.69	1.924	6.083	8.2	67.24	2.864	9.055
3.8	14.44	1.949	6.164	8.3	68.89	2.881	9.110
3.9	15.21	1.975	6.245	8.4	70.56	2.898	9.165
4.0	16.00	2.000	6.325	8.5	72.25	2.915	9.220
4.1	16.81	2.025	6.403	8.6	73.96	2.933	9.274
4.2	17.64	2.049	6.481	8.7	75.69	2.950	9.327
4.3	18.49	2.074	6.557	8.8	77.44	2.966	9.381
4.4	19.36	2.098	6.633	8.9	79.21	2.983	9.434
4.5	20.25	2.121	6.708	9.0	81.00	3.000	9.487
4.6	21.16	2.145	6.782	9.1	82.81	3.017	9.539
4.7	22.09	2.168	6.856	9.2	84.64	3.033	9.592
4.8	23.04	2.191	6.928	9.3	86.49	3.050	9.644
4.9	24.01	2.214	7.000	9.4	88.36	3.066	9.695
5.0	25.06	2.236	7.071	9.5	90.25	3.082	9.747
5.1	26.01	2.258	7.141	9.6	92.16	3.098	9.798
5.2	27.04	2.280	7.211	9.7	94.09	3.114	9.849
5.3	28.09	2.302	7.280	9.8	96.04	3.130	9.899
5.4	29.16	2.324	7.348	9.9	98.01	3.146	9.950

TABEL A.2
Jumlah Peluang Binom $\sum_{k=0}^r b(x; n, p)$

$r = X$

n	r	p									
		10	20	25	30	40	50	60	70	80	90
1	0	.9000	.8000	.7500	.7000	.6000	.5000	.4000	.3000	.2000	.1000
1	1	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
2	0	.8100	.6400	.5625	.4900	.3600	.2500	.1600	.0900	.0400	.0100
2	1	.9900	.9600	.9375	.9100	.8400	.7500	.6400	.5100	.3600	.1900
2	2	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
3	0	.7290	.5120	.4219	.3430	.2160	.1250	.0640	.0270	.0080	.0010
3	1	.9720	.8960	.8438	.7840	.6480	.5000	.3520	.2160	.1040	.0280
3	2	.9990	.9920	.9844	.9730	.9360	.8750	.7840	.6570	.4880	.2710
3	3	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
4	0	.6561	.4096	.3164	.2401	.1296	.0625	.0256	.0081	.0016	.0001
4	1	.9477	.8192	.7383	.6517	.4752	.3125	.1792	.0837	.0272	.0037
4	2	.9963	.9728	.9492	.9163	.8208	.6875	.5248	.3483	.1808	.0523
4	3	.9999	.9984	.9961	.9919	.9744	.9375	.8704	.7599	.5904	.3439
4	4	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
5	0	.5905	.3277	.2373	.1681	.0778	.0312	.0102	.0024	.0003	.0000
5	1	.9185	.7373	.6328	.5282	.3370	.1875	.0870	.0308	.0067	.0005
5	2	.9914	.9421	.8965	.8369	.6826	.5000	.3174	.1631	.0579	.0086
5	3	.9995	.9933	.9844	.9692	.9130	.8125	.6630	.4718	.2627	.0815
5	4	1.0000	.9997	.9990	.9976	.9898	.9688	.9222	.8319	.6723	.4095
5	5	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
6	0	.5314	.2621	.1780	.1176	.0467	.0156	.0041	.0007	.0001	.0000
6	1	.8857	.6554	.5339	.4202	.2333	.1094	.0410	.0109	.0016	.0001
6	2	.9841	.9011	.8306	.7443	.5443	.3438	.1792	.0705	.0170	.0013
6	3	.9987	.9830	.9624	.9295	.8208	.6563	.4557	.2557	.0989	.0158
6	4	.9999	.9984	.9954	.9891	.9590	.8906	.7667	.5798	.3447	.1143
6	5	1.0000	.9999	.9998	.9993	.9959	.9844	.9533	.8824	.7379	.4686
6	6	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
7	0	.4783	.2097	.1335	.0824	.0280	.0078	.0016	.0002	.0000	.0000
7	1	.8503	.5767	.4449	.3294	.1586	.0625	.0188	.0038	.0004	.0000
7	2	.9743	.8520	.7564	.6471	.4199	.2266	.0963	.0288	.0047	.0002
7	3	.9973	.9667	.9294	.8740	.7102	.5000	.2898	.1260	.0333	.0027
7	4	.9998	.9953	.9871	.9712	.9037	.7374	.5801	.3529	.1480	.0257
7	5	1.0000	.9996	.9987	.9962	.9812	.9375	.8414	.6706	.4233	.1497
7	6	1.0000	1.0000	.9999	.9998	.9984	.9922	.9720	.9176	.7903	.5217
7	7	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

TABEL A.2 (lanjutan)
Jumlah Peluang Binom $\sum_{k=0}^x b(x; n, p)$

n	r	p																			
		.10	.20	.25	.30	.40	.50	.60	.70	.80	.90										
15	0	.2059	.0352	.0134	.0047	.0005	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
15	1	.5490	.1671	.0802	.0353	.0052	.0005	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
15	2	.8159	.3980	.2361	.1268	.0271	.0037	.0003	.0003	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
15	3	.9444	.6482	.4613	.2969	.0905	.0176	.0019	.0001	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
15	4	.9873	.8358	.6865	.5155	.2173	.0592	.0094	.0007	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
15	5	.9978	.9389	.8516	.7216	.4032	.1509	.0338	.0037	.0001	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
15	6	.9997	.9819	.9434	.8689	.6098	.3036	.0951	.0152	.0008	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
15	7	1.0000	.9992	.9958	.9900	.9869	.9824	.9799	.9772	.9752	.9736	.9722	.9710	.9700	.9690	.9680	.9670	.9660	.9650	.9640	.9630
15	8		.9992	.9958	.9900	.9869	.9824	.9799	.9772	.9752	.9736	.9722	.9710	.9700	.9690	.9680	.9670	.9660	.9650	.9640	.9630
15	9		.9999	.9992	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999
15	10		1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
15	11																				
15	12																				
15	13																				
15	14																				
15	15																				
15	16																				

TABEL A.2 (lanjutan)
Jumlah Peluang Binom $\sum_{k=0}^x b(x; n, p)$

n	r	p																			
		.10	.20	.25	.30	.40	.50	.60	.70	.80	.90										
17	0	.1668	.0225	.0075	.0023	.0002	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
17	1	.4818	.1182	.0501	.0193	.0021	.0001	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
17	2	.7618	.3096	.1637	.0774	.0123	.0012	.0001	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
17	3	.9174	.5489	.3530	.2019	.0464	.0064	.0005	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
17	4	.9779	.7582	.5739	.3887	.1260	.0245	.0025	.0001	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
17	5	.9953	.8943	.7653	.5968	.2639	.0717	.0106	.0007	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
17	6	.9992	.9623	.8929	.8292	.7752	.7252	.6848	.6478	.6162	.5888	.5648	.5440	.5260	.5110	.4980	.4870	.4780	.4710	.4660	.4630
17	7	.9999	.9891	.9876	.9876	.9876	.9876	.9876	.9876	.9876	.9876	.9876	.9876	.9876	.9876	.9876	.9876	.9876	.9876	.9876	.9876
17	8		.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999
17	9		1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
17	10																				
17	11																				
17	12																				
17	13																				
17	14																				
17	15																				
17	16																				
17	17																				
17	18																				

TABEL A.2 (lanjutan)
Jumlah Peluang Binom $\sum_{h=0}^r \binom{n}{h} p^h (1-p)^{n-h}$

n	r	10	20	25	30	40	50	60	70	80	90
19	0	.1351	.0144	.0042	.0011	.0001	.0000	.0000	.0000	.0000	.0000
19	1	.4203	.0829	.0310	.0104	.0008	.0000	.0000	.0000	.0000	.0000
19	2	.7054	.2369	.1113	.0462	.0055	.0004	.0000	.0000	.0000	.0000
19	3	.8850	.4551	.2631	.1332	.0230	.0022	.0001	.0000	.0000	.0000
19	4	.9648	.6733	.4654	.2822	.0696	.0096	.0000	.0000	.0000	.0000
19	5	.9914	.8369	.6678	.4739	.1629	.0318	.0000	.0000	.0000	.0000
19	6	.9983	.9324	.8251	.6655	.3081	.0835	.0116	.0001	.0000	.0000
19	7	.9997	.9767	.9225	.8180	.4878	.1796	.0352	.0028	.0000	.0000
19	8	1.0000	.9933	.9713	.9161	.6675	.3238	.0885	.0105	.0003	.0000
19	9		.9984	.9911	.9674	.8139	.5000	.1861	.0326	.0016	.0000
19	10		.9997	.9977	.9977	.9895	.9115	.6762	.3325	.0839	.0067
19	11		.9999	.9995	.9972	.9972	.9648	.8204	.5122	.1820	.0233
19	12		1.0000	.9999	.9999	.9994	.9994	.9165	.6919	.3345	.0676
19	13				1.0000	.9999	.9999	.9669	.8371	.5261	.1631
19	14						1.0000	.9994	.9904	.7178	.3267
19	15								.9970	.8668	.5449
19	16								.9945	.9538	.7631
19	17								.9992	.9896	.9171
19	18								.9999	.9989	.9856
19	19								1.0000	1.0000	1.0000
20	0	.1216	.0115	.0032	.0008	.0000	.0000	.0000	.0000	.0000	.0000
20	1	.3917	.0692	.0243	.0076	.0005	.0000	.0000	.0000	.0000	.0000
20	2	.6769	.2061	.0913	.0355	.0036	.0002	.0000	.0000	.0000	.0000
20	3	.8670	.4114	.2252	.1071	.0160	.0013	.0001	.0000	.0000	.0000
20	4	.9568	.6296	.4148	.2375	.0510	.0059	.0003	.0003	.0000	.0000
20	5	.9887	.8042	.6172	.4164	.1256	.0207	.0016	.0000	.0000	.0000
20	6	.9976	.9133	.7858	.6080	.2500	.0577	.0065	.0003	.0000	.0000
20	7	.9996	.9679	.8982	.7723	.4159	.1316	.0210	.0013	.0000	.0000
20	8	.9999	.9900	.9591	.8867	.5956	.2517	.0565	.0051	.0001	.0000
20	9	1.0000	.9974	.9861	.9520	.7553	.4119	.1275	.0171	.0006	.0000
20	10		.9994	.9961	.9829	.8725	.5881	.2447	.0480	.0026	.0000
20	11		.9999	.9991	.9949	.9435	.7483	.4044	.1133	.0100	.0001
20	12		1.0000	.9998	.9997	.9935	.9423	.7500	.3920	.0867	.0024
20	13				1.0000	.9997	.9935	.9423	.7500	.0867	.0024
20	14					1.0000	.9984	.9793	.8744	.5836	.1958
20	15						.9997	.9941	.9490	.7625	.3704
20	16						1.0000	.9987	.9840	.8929	.5886
20	17							.9998	.9964	.9645	.7939
20	18							1.0000	.9995	.9924	.9308
20	19								1.0000	.9992	.9885
20	20								1.0000	1.0000	1.0000

TABEL A.3
Jumlah Peluang Poisson $\sum_{h=0}^r \frac{\mu^h}{h!} e^{-\mu}$

r	μ									
	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0	
0	0.3679	0.2231	0.1353	0.0821	0.0498	0.0302	0.0183	0.0111	0.0067	
1	0.7358	0.5578	0.4060	0.2873	0.1991	0.1359	0.0916	0.0611	0.0404	
2	0.9197	0.8088	0.6767	0.5438	0.4332	0.3208	0.2381	0.1736	0.1247	
3	0.9810	0.9344	0.8571	0.7576	0.6472	0.5366	0.4335	0.3421	0.2650	
4	0.9963	0.9814	0.9473	0.8912	0.8153	0.7254	0.6288	0.5321	0.4405	
5	0.9994	0.9955	0.9955	0.9580	0.9161	0.8576	0.7851	0.7029	0.6160	
6	0.9999	0.9991	0.9989	0.9858	0.9665	0.9347	0.8893	0.8311	0.7622	
7	1.0000	1.0000	0.9998	0.9989	0.9981	0.9901	0.9786	0.9597	0.9319	
8			1.0000	0.9997	0.9997	0.9967	0.9919	0.9829	0.9682	
9				1.0000	0.9999	0.9990	0.9972	0.9933	0.9863	
10					1.0000	0.9999	0.9997	0.9991	0.9945	
11						1.0000	0.9999	0.9997	0.9980	
12							1.0000	0.9999	0.9993	
13								1.0000	0.9998	
14									1.0000	
15										
16										

Dari E. C. Molina, Poisson's Exponential Limit, copyright 1942. Van Nostrand Reinhold Company, New York, dengan izin penerbit.

TABEL A.4
Wilayah Luas Di Bawah Kurva Normal


Table with columns for z and values representing cumulative area under the normal curve. Includes handwritten notes: P(x < z) and P(x > z) = 1 - P(x < z).

TABEL A.5
Nilai Kritik Sebaran /

Table with columns for alpha (0.10, 0.05, 0.025, 0.01, 0.005) and rows for degrees of freedom (1 to 25). Includes handwritten notes: 'Luas' and 'Luas' with arrows pointing to the curve area.

Tabel diambil dari Tabel IV R. A. Fisher. Statistical Methods for Research Workers. Oliver & Boyd Ltd. Edinburgh, dengan izin pengarang dan penerbit.


TABEL A.6
Nilai Kritis Sebaran Kiri-Kuadrat



v	α									
	0.995	0.99	0.975	0.95	0.05	0.025	0.01	0.005		
1	0.0*	0.0*	0.0*	0.0*	3.841	5.024	6.635	7.879		
2	0.0100	0.0201	0.0506	0.103	5.991	7.378	9.210	10.597		
3	0.0717	0.115	0.216	0.352	7.815	9.348	11.345	12.838		
4	0.207	0.297	0.484	0.711	9.488	11.143	13.277	14.860		
5	0.412	0.554	0.831	1.145	11.070	12.832	15.086	16.750		
6	0.676	0.872	1.237	1.635	12.592	14.449	16.812	18.548		
7	0.989	1.239	1.690	2.167	14.067	16.013	18.475	20.278		
8	1.344	1.646	2.180	2.733	15.507	17.535	20.090	21.955		
9	1.735	2.088	2.700	3.325	16.919	19.023	21.666	23.589		
10	2.156	2.558	3.247	3.940	18.307	20.483	23.209	25.188		
11	2.603	3.053	3.816	4.575	19.675	21.920	24.725	26.757		
12	3.074	3.571	4.404	5.226	21.026	23.337	26.217	28.300		
13	3.565	4.107	5.009	5.892	22.362	24.776	27.688	29.819		
14	4.075	4.660	5.629	6.571	23.685	26.119	29.141	31.319		
15	4.601	5.229	6.262	7.261	24.996	27.488	30.578	32.801		
16	5.142	5.812	6.908	7.962	26.296	28.845	32.000	34.267		
17	5.697	6.408	7.564	8.672	27.587	30.191	33.409	35.718		
18	6.265	7.015	8.231	9.390	28.869	31.526	34.805	37.156		
19	6.844	7.633	8.907	10.117	30.144	32.852	36.191	38.582		
20	7.434	8.260	9.591	10.851	31.410	34.170	37.566	39.997		
21	8.034	8.897	10.283	11.591	32.671	35.479	38.932	41.401		
22	8.643	9.542	10.982	12.338	33.924	36.781	40.289	42.796		
23	9.260	10.196	11.689	13.091	35.172	38.076	41.638	44.181		
24	9.886	10.856	12.401	13.848	36.415	39.364	42.980	45.558		
25	10.520	11.524	13.120	14.611	37.652	40.646	44.314	46.928		
26	11.160	12.198	13.844	15.379	38.885	41.923	45.642	48.290		
27	11.808	12.879	14.573	16.151	40.113	43.194	46.963	49.645		
28	12.461	13.565	15.308	16.928	41.337	44.461	48.278	50.993		
29	13.121	14.256	16.047	17.708	42.557	45.722	49.588	52.336		
30	13.787	14.953	16.791	18.493	43.773	46.979	50.892	53.672		

*Ditingkas dari Tabel 8 Biometrika Tables for Statisticians, Vol. I, dengan izin dari E. S. Pearson dan Biometrika Trustees.

TABEL A.7
Nilai Kritis Sebaran F



v ₂	v ₁								
	1	2	3	4	5	6	7	8	9
1	161.4	199.5	215.7	224.6	230.2	234.0	236.8	238.9	240.5
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28
26	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27
27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24
29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04
120	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96
∞	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88

*Direproduksi dari Tabel 18 Biometrika Tables for Statisticians, Vol. I, dengan izin dari E. S. Pearson dan Biometrika Trustees.